

2019 RANGE ROVER EVOQUE

SPEC SHEET¹



ABOVE & BEYOND





ABOVE & BEYOND

	2019 RANGE ROVER EVOQUE 5-DOOR (GASOLINE) 2.0L TC I4 237HP	2019 RANGE ROVER EVOQUE 5-DOOR (GASOLINE) 2.0L TC I4 286HP	2019 RANGE ROVER EVOQUE CONVERTIBLE (GASOLINE) 2.0L TC I4 237HP
Available Trims	SE SE Premium Landmark Edition HSE HSE Dynamic Autobiography	HSE Dynamic Autobiography	SE Dynamic HSE Dynamic
ENGINE			
Engine Layout	i4	i4	i4
Induction	Turbocharged	Turbocharged	Turbocharged
Displacement (cc)	1,998.7	1,998.7	1,998.7
Bore / Stroke (mm)	83.0 x 92.4	83.0 x 92.4	83.0 x 92.4
Compression Ratio (:1)	10.5	10.5	10.5
Max Power (HP)	237 @ 5,500rpm	286 @ 5,500rpm	237 @ 5,500rpm
Max Torque (lb ft)	251 @ 1,250rpm	295 @ 1,500rpm	251 @ 1,250rpm
TRANSMISSION / DRIVETRAIN			
Transmission Type	ZF (9HP) 9-Speed Automatic	ZF (9HP) 9-Speed Automatic	ZF (9HP) 9-Speed Automatic
1st (:1)	4.713	4.713	4.713
2nd (:1)	2.842	2.842	2.842
3rd (:1)	1.909	1.909	1.909
4th (:1)	1.382	1.382	1.382
5th (:1)	1.000	1.000	1.000
6th (:1)	0.808	0.808	0.808
7th (:1)	0.699	0.699	0.699
8th (:1)	0.58	0.58	0.58
9th (:1)	0.48	0.48	0.48
Reverse (:1)	-3.83	-3.83	-3.83
Final Drive Ratio (:1)	4.54	4.54	4.54
Four Wheel Drive System ²	4WD with Active Driveline - Torque on Demand to the Rear Axle		



ABOVE & BEYOND

	2019 RANGE ROVER EVOQUE 5-DOOR (GASOLINE) 2.0L TC I4 237HP	2019 RANGE ROVER EVOQUE 5-DOOR (GASOLINE) 2.0L TC I4 286HP	2019 RANGE ROVER EVOQUE CONVERTIBLE (GASOLINE) 2.0L TC I4 237HP
SUSPENSION / STEERING / BRAKES			
Front Suspension	MacPherson Strut with Lower Control Arm and Anti-Roll Bar	MacPherson Strut with Lower Control Arm and Anti-Roll Bar	MacPherson Strut with Lower Control Arm and Anti-Roll Bar
Rear Suspension	Strut Assembly with Lateral and Longitudinal Links and Anti-Roll Bar	Strut Assembly with Lateral and Longitudinal Links and Anti-Roll Bar	Strut Assembly with Lateral and Longitudinal Links and Anti-Roll Bar
Steering	Electric Power Assisted Steering (EPAS)	Electric Power Assisted Steering (EPAS)	Electric Power Assisted Steering (EPAS)
Variable Steering Rack Ratio (in per rev)	2.6 - 2.9	2.6 - 2.9	2.6 - 2.9
Turning Circle (SAE D102) - Curb-to-Curb (ft)	37.3	37.3	37.3
Turning Circle - Lock-to-Lock (turns)	2.3	2.3	2.3
Brake Diameter (in)	Front: 12.8 Rear: 12.5	Front: 13.7 Rear: 12.5	Front: 12.8 Rear: 12.5
EXTERIOR DIMENSIONS			
Overall Length (SAE L103) (in)	172.0	172.0	172.0
Overall Height (SAE H101) (in)	64.4	64.4	63.3
Overall Width (SAE W103) (excluding mirrors) (in)	74.8	74.8	74.8
Overall Width (SAE W105) (with mirrors folded) (in)	78.1	78.1	78.0
Overall Width (SAE W104) (with mirrors out) (in)	82.3	82.3	82.1
Front Overhang (SAE L104) (in)	35.8 (Standard Models) 35.6 (Dynamic Models)	35.6	35.6
Rear Overhang (SAE L105) (in)	31.5 (Standard Models) 31.7 (Dynamic Models)	31.7	31.7
Wheelbase (SAE L101) (in)	104.7	104.7	104.7
Front Track (SAE W101-1) (in)	63.8	63.8	63.8
Rear Track (SAE W101-2) (in)	64.1	64.1	64.1
Drag Coefficient (Cd)	From 0.36	From 0.37	From 0.40



ABOVE & BEYOND

	2019 RANGE ROVER EVOQUE 5-DOOR (GASOLINE) 2.0L TC I4 237HP	2019 RANGE ROVER EVOQUE 5-DOOR (GASOLINE) 2.0L TC I4 286HP	2019 RANGE ROVER EVOQUE CONVERTIBLE (GASOLINE) 2.0L TC I4 237HP
INTERIOR DIMENSIONS			
Headroom (SAE H61-1/2) (in)	Row 1: 39.0 Row 2: 38.0	Row 1: 39.0 Row 2: 38.0	Row 1: 39.0 Row 2: 38.0
Headroom (SAE H61-1/2-SR) (with sunroof) (in)	Row 1: 40.3 Row 2: 39.8	Row 1: 40.3 Row 2: 39.8	N/A
Legroom (SAE L34/L51-2) (in)	Row 1: 40.2 Row 2: 34.8	Row 1: 40.2 Row 2: 34.8	Row 1: 40.2 Row 2: 34.1
Loadspace Volume (SAE V6/V7) (cu ft)	Behind Row 1: 51.0 Behind Row 2: 20.3	Behind Row 1: 51.0 Behind Row 2: 20.3	Behind Row 1: N/A Behind Row 2: 8.9
Loadspace Length (SAE L202-1/2) (in)	Behind Row 1: 62.2 Behind Row 2: 31.3	Behind Row 1: 62.2 Behind Row 2: 31.3	Behind Row 1: N/A Behind Row 2: 29.4
Loadspace Width (SAE W200) (in)	43.5	43.5	43.5
Loadspace Height (SAE H505) (in)	34.3	34.3	15.9
OFF-ROAD DIMENSIONS			
Approach Angle (SAE A106-1) (deg)	23.2 (Standard Models) 17.8 (Dynamic Models)	17.8	17.8
Departure Angle (SAE A106-2) (deg)	33 (Standard Models) 30 (Dynamic Models)	30	31
Ramp Breakover Angle (SAE A147) (deg)	22	22	18.9
Maximum Wading Depth (in)	19.7	19.7	19.7
Ground Clearance (in)	8.3	8.3	8.3
PERFORMANCE ³			
0-60 mph (s)	6.9	6.0	7.6
0-100 km/h (s)	7.3	6.4	8.1
50-75 mph (s)	5.0	4.3	5.6
Top Speed (mph)	135	144	135



ABOVE & BEYOND

	2019 RANGE ROVER EVOQUE 5-DOOR (GASOLINE) 2.0L TC I4 237HP	2019 RANGE ROVER EVOQUE 5-DOOR (GASOLINE) 2.0L TC I4 286HP	2019 RANGE ROVER EVOQUE CONVERTIBLE (GASOLINE) 2.0L TC I4 237HP
WEIGHT			
Weight From (lbs)	3,865	4,045	4,440
Gross Vehicle Weight (lbs)	5,180	5,180	5,310
TOWING			
Maximum Permissible Towable Mass (lbs)	3,968	3,968	3,306
Maximum Permissible Unbraked Towable Mass (lbs)	1,653	1,653	1,653
FUEL ECONOMY			
EPA City ⁴	22	21	21
EPA Highway ⁴	29	29	29
EPA Combined ⁴	25	24	24
Fuel Tank Capacity (gal)	18.1	18.1	18.1

(1) Manufacturer’s figures. Correct at time of going to press.
(2) These systems are not a substitute for driving safely with due care and attention and will not function under all circumstances, speeds, weather and road conditions, etc. Driver should not assume that these systems will correct errors of judgment in driving.
Please consult the owner’s manual or your local authorized Land Rover Retailer for more details.
(3) Always follow local speed limits.
(4) All figures are EPA fuel economy estimates. Actual mileage may vary.