



2017 JAGUAR F-PACE

TECHNICAL SPECIFICATIONS (CANADA)

Jaguar F-PACE 2.0-Litre Turbocharged 180HP In-Line 4-Cylinder Diesel AWD	
ENGINE & TRANSMISSION	
Engine capacity (cc)	1,999
Cylinders	4 in-line
Valves per cylinder	4; DOHC, variable exhaust cam timing
Bore/ stroke (mm)	83.0/ 92.4
Compression ratio	15.5:1
Fuel injection	1,800bar common rail
Boosting system	Single variable geometry turbocharger
Power HP	180 @ 4,000rpm
Torque lb. ft.	318 @ 1,750-2,500rpm
Transmission	ZF 8HP45 8-speed automatic
Gear ratios (:1)	
1st	4.714
2nd	3.143
3rd	2.106
4th	1.667
5th	1.285
6th	1.000
7th	0.839
8th	0.667
Reverse	3.295
Final Drive	3.23
CHASSIS	
Front suspension	Double wishbone
Rear suspension	Integral Link
Steering	Variable ratio rack-and-pinion; electromechanical

DIMENSIONS	
Length mm (in.)	4,731 (186.3)
Width inc./ excl. mirrors mm (in.)	2,175 / 1,936 (86.6 / 76.2)
Height mm (in.)	1,667 / 1,652 (65.6 / 65)
Wheelbase mm (in.)	2,874 (113.1)
Track front/ rear mm (in.)	1,641 / 1,654 (64.6 / 65.1)
Ground clearance mm (in.)	213 (8.4)
Weight kg (lbs.)	From 1,775 (3,913)
Boot volume litres (cu.ft.)	650 (33.5)
Fuel tank litres (gal.)	60 (15.85)
PERFORMANCE & FUEL ECONOMY	
0-60mph (sec) ³	8.2
0-100km/h (sec) ³	8.7
Top speed km/h (mph) ³	208 (129)

Jaguar F-PACE 3.0-Litre Supercharged 340 HP V6 Gasoline AWD	
ENGINE & TRANSMISSION	
Engine capacity (cc)	2,995
Cylinders and Layout	90-degree V6
Valves per cylinder	4; DOHC, variable inlet and exhaust cam timing
Bore/ stroke (mm)	84.5/ 89.0
Compression ratio	10.5:1
Fuel injection	150bar direct injection
Boosting system	Twin-Vortex supercharger
Power HP	340 @ 6,500rpm
Torque lb. ft.	332 @ 4,500rpm
Transmission	ZF 8HP70 8-speed automatic
Gear ratios (:1)	
1st	4.714
2nd	3.143

3rd	2.106
4th	1.667
5th	1.285
6th	1.000
7th	0.839
8th	0.667
Reverse	3.317
Final Drive	3.73
CHASSIS	
Front suspension	Double wishbone
Rear suspension	Integral Link
Steering	Variable ratio rack-and-pinion; electromechanical
DIMENSIONS	
Length mm (in.)	4,731 (186.3)
Width inc./ excl. mirrors mm (in.)	2,175 / 1,936 (86.6 / 76.2)
Height mm (in.)	1,667 / 1,652 (65.6 / 65)
Wheelbase mm (in.)	2,874 (113.1)
Track front/ rear mm (in.)	1,641 / 1,654 (64.6 / 65.1)
Ground clearance mm (in.)	213 (8.4)
Weight kg (lbs.)	From 1,821 (4,015)
Boot volume litres (cu.ft.)	650 (33.5)
Fuel tank litres (gal.)	63 (16.6)
PERFORMANCE	
0-60mph (sec) ³	5.4
0-100km/h (sec) ³	5.8
Top speed km/h (mph) ³	250 (155)

Jaguar F-PACE 3.0-Litre Supercharged 380HP V6 Gasoline AWD	
ENGINE & TRANSMISSION	
Engine capacity (cc)	2,995
Cylinders and Layout	90-degree V6

Valves per cylinder	4; DOHC, variable inlet and exhaust cam timing
Bore/ stroke (mm)	84.5/ 89.0
Compression ratio	10.5:1
Fuel injection	150bar direct injection
Boosting system	Twin-Vortex supercharger
Power hp	380 @ 6,500rpm
Torque lb. ft.	332 @ 4,500rpm
Transmission	ZF 8HP70 8-speed automatic
Gear ratios (:1)	
1st	4.714
2nd	3.143
3rd	2.106
4th	1.667
5th	1.285
6th	1.000
7th	0.839
8th	0.667
Reverse	3.317
Final Drive	3.73
CHASSIS	
Front suspension	Double wishbone
Rear suspension	Integral Link
Steering	Variable ratio rack-and-pinion; electromechanical
DIMENSIONS	
Length mm (in.)	4,731 (186.3)
Width inc./ excl. mirrors mm (in.)	2,175 / 1,936 (86.6 / 76.2)
Height mm (in.)	1,667 / 1,652 (65.6 / 65)
Wheelbase mm (in.)	2,874 (113.1)
Track front/ rear mm (in.)	1,641 / 1,654 (64.6 / 65.1)
Ground clearance mm (in.)	213 (8.4)

Weight kg (lbs.)	From 1,821 (4,015)
Boot volume litres (cu.ft.)	650 (33.5)
Fuel tank litres (gal.)	63 (16.6)
PERFORMANCE	
0-60mph (sec) ³	5.1
0-100km/h (sec) ³	5.5
Top speed km/h (mph) ³	250 (155)