

2019 MODEL YEAR RANGE ROVER EVOQUE TECHNICAL SPECIFICATIONS	Ingenium Td4 150PS 2WD Manual	Ingenium Td4 150PS AWD Manual	Ingenium Td4 150PS AWD Automatic	Ingenium Td4 180PS AWD Manual	Ingenium Td4 180PS AWD Automatic	Ingenium Si4 240PS AWD Automatic
Engine type	Inline-4 common rail diesel, 16 valves; DOHC; variable intake cam timing, variable geometry turbo	Inline-4 common rail diesel, 16 valves; DOHC; variable intake cam timing, variable geometry turbo	Inline-4 common rail diesel, 16 valves; DOHC; variable intake cam timing, variable geometry turbo	Inline-4 common rail diesel, 16 valves; DOHC; variable intake cam timing, variable geometry turbo	Inline-4 common rail diesel, 16 valves; DOHC; variable intake cam timing, variable geometry turbo	Inline-4 gasoline, 16 valve; DOHC, variable intake and exhaust cam timing; variable intake valve lift, twin-scroll turbo
Displacement	1999	1999	1999	1999	1999	1998
Bore / Stroke	83/92.29	83/92.29	83/92.29	83/92.29	83/92.29	83/92.29
Compression ratio	15.5:1	15.5:1	15.5:1	15.5:1	15.5:1	10.5 +/- 0.5
Max Power	150PS (110kW) @ 3500rpm	150PS (110kW) @ 3500rpm	150PS (110kW) @ 3500rpm	180PS (132kW) @ 4000rpm	180PS (132kW) @ 4000rpm	240PS (177kW) @ 5500rpm
Max Torque	380Nm (280lb ft) @ 1750rpm	380Nm (280lb ft) @ 1750rpm	380Nm (280lb ft) @ 1750rpm	430Nm (317lb ft) @ 1750rpm	430Nm (317lb ft) @ 1750rpm	340Nm (251lb ft) @ 1250rpm
Euro standard	EU6	EU6	EU6	EU6	EU6	EU5
Transmission	Six-speed (manual)	Six-speed (manual)	Nine-speed (automatic)	Six-speed (manual)	Nine-speed (automatic)	Nine-speed (automatic)
1st (High / Low)	3.385	3.750	4.713	3.750	4.713	4.713
2nd (High / Low)	1.905	1.905	2.842	1.905	2.842	2.842
3rd (High / Low)	1.182	1.182	1.909	1.182	1.909	1.909
4th (High / Low)	0.838	0.838	1.382	0.838	1.382	1.382
5th (High / Low)	0.652	0.652	1.000	0.652	1.000	1.000
6th (High / Low)	0.540	0.540	0.808	0.540	0.808	0.808
7th (High / Low)	-	-	0.699	-	0.699	0.699
8th (High / Low)	-	-	0.580	-	0.580	0.580
9th (High / Low)	-	-	0.480	-	0.480	0.480
Reverse (High / Low)	2.692	2.917	3.830	2.917	3.830	3.830
Final drive ratio	4.267 (Rev 5.33)	4.267 (Rev 5.33)	3.944	4.267 (Rev 5.33)	3.944	3.944
Fuel tank capacity (litres) (usable)	54	54	54	54	54	68.5
AdBlue tank capacity (litres)	14.5	14.5	14.5	14.5	14.5	-
Brakes	Front: 300mm Rear: 317mm	Front: 325mm Rear: 317mm	Front: 325mm Rear: 317mm	Front: 325mm Rear: 317mm	Front: 325mm Rear: 317mm	Front: 325mm Rear: 317mm
Steering	Electronic Power Assisted Steering (EPAS) rack and pinion; variable ratio					
Four-wheel drive system	Standard Driveline - Torque on demand to rear axle Active Driveline - 2WD or Torque on demand to rear axle					
Front suspension	MacPherson strut with lower control arm and anti-roll bar					
Rear suspension	Strut assembly with lateral and longitudinal links and anti-roll bar					
WHEELS AND TYRES						
Wheels	7.0 x 17" 8.0 x 18" 8.0 x 19" 8.0 x 20"	7.0 x 17" 8.0 x 18" 8.0 x 19" 8.0 x 20"	7.0 x 17" 8.0 x 18" 8.0 x 19" 8.0 x 20"	7.0 x 17" 8.0 x 18" 8.0 x 19" 8.0 x 20"	7.0 x 17" 8.0 x 18" 8.0 x 19" 8.0 x 20"	7.0 x 17" 8.0 x 18" 8.0 x 19" 8.0 x 20"
Tyres	225/65R17 235/60R18 235/55R19 245/45R20	225/65R17 235/60R18 235/55R19 245/45R20	225/65R17 235/60R18 235/55R19 245/45R20	225/65R17 235/60R18 235/55R19 245/45R20	225/65R17 235/60R18 235/55R19 245/45R20	225/65R17 235/60R18 235/55R19 245/45R20
EXTERIOR DIMENSIONS						
Overall length (mm)	4370					
Overall height (mm)	1605 (Coupe), 1635 (five-door)					
Overall width (mirrors folded) (mm)	1980 (Coupe), 1985 (five-door)					
Overall width (mirrors out) (mm)	2085 (Coupe), 2090 (five-door)					
Wheelbase (mm)	2660					
Front overhang (mm)	910 (Coupe and five-door)					
Rear overhang (mm)	800 (Coupe and five-door)					
Front track (mm)	1621					
Rear track (mm)	1628					
Turning Circle - kerb-to-kerb (metres)	11.38					
Turning Circle - lock-to-lock	2.31					
Drag coefficient (Cd)	0.36 (five-door) 0.38 (Coupe)	0.36 (five-door) 0.38 (Coupe)	0.36 (five-door) 0.38 (Coupe)	0.36 (five-door) 0.38 (Coupe)	0.36 (five-door) 0.38 (Coupe)	0.37 (five-door) 0.38 (Coupe)
INTERIOR DIMENSIONS						
Headroom (mm)	Row 1: 965 (Coupe), 990 (five-door) Row 2: 945 (Coupe), 965 (five-door)					
Shoulderroom (mm)	Row 1: 1435 (all derivatives) Row 2: 1350 (Coupe), 1405 (five-door)					
Legroom (mm)	Row 1: 1095, Row 2: 885					
Luggage capacity (litres)	Behind Row 1: 1350 (Coupe), 1445 (five-door) Behind Row 2: 550 (Coupe), 575 (five-door)					
Loadspace length (mm)	Behind Row 1: 1580 (Coupe and five-door) Behind Row 2: 795 (Coupe and five-door)					
Loadspace height (mm)	840 (Coupe), 870 (five-door)					
Loadspace width (mm)	1105					
Loadspace door aperture height (mm)	690 (Coupe), 710 (five-door)					
Loadspace door aperture width (mm)	1060 (Coupe and five-door)					
ALL-TERRAIN CAPABILITY						
Approach angle (deg) <sup>†</sup>	23					
Departure angle (deg) <sup>†</sup>	33 (Coupe and five-door)					
Ramp breakover angle (deg) <sup>†</sup>	22 (Coupe and five-door)					
Wading depth (mm)	500					
Ground clearance (mm)	211					
Maximum ascent / descent gradient (deg)	45					
Maximum side slope traverse gradient (deg)	35					
TOWING CAPABILITY						
Maximum permissible towable mass (kg)	750	750	750	750	750	750
Maximum permissible unbraked towable mass (kg)	1500	2000	1800 (Coupe and five-door)	1800	2000 (Coupe and five-door)	1800 (Coupe and five-door)
PERFORMANCE						
0-60mph (0-97km/h) (secs)	9.3	9.9	9.7	9.1	8.6	6.8
0-62mph (0-100km/h) (secs)	9.8	10.5	10.4	9.6	9.1	7.2
50-75mph (80-120km/h) (secs)	7.1	7.7	7.9	6.9	6.9	4.8
Top speed (km/h / mph)	182 / 113	182 / 113	180 / 111	200 / 124	195 / 121	217 / 135
Fuel consumption (l/100km / mpg)	5.8 (48.7)	5.9 (47.9)	6.2 (45.6)	6.1 (46.3)	6.2 (45.6)	8.2 (34.4)
NEDC equivalent combined * (class 2 tyre)						
CO <sub>2</sub> emissions (g/km)	154	154	164	160	164	188
NEDC equivalent combined * (class 2 tyre)						
WEIGHT						
Weight from kg (EU & ROW)*	From 1621 (Coupe) From 1679 (five-door)	From 1725 (Coupe) From 1735 (five-door)	From 1760 (Coupe) From 1746 (five-door)	From 1725 (Coupe) From 1735 (five-door)	From 1760 (Coupe) From 1746 (five-door)	From 1765 (Coupe) From 1752 (five-door)

Figures relate to all derivatives unless otherwise stated

\* Varies by specification